

Material Safety Data Sheet MAXFORCE® FC FIRE ANT BAIT

MSDS Number: 102000014471 MSDS Version 1.1 Revision Date: 12/15/2006

SECTION 1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name MAXFORCE® FC FIRE ANT BAIT

MSDS Number 102000014471 **EPA Registration No.** 432-1433

Bayer Environmental Science 2 T.W. Alexander Drive

Research Triangle PK, NC 27709

USA

For MEDICAL, TRANSPORTATION or other EMERGENCY call: 1-800-334-7577 (24 hours/day)

For Product Information call: 1-800-331-2867

SECTION 2. COMPOSITION/INFORMATION ON INGREDIENTS

Active ingredient: Fipronil (CAS No. 120068-37-3): 0.00045%

SECTION 3. HAZARDS IDENTIFICATION

NOTE: Please refer to Section 11 for detailed toxicological information.

Emergency Overview Caution! Harmful if absorbed through skin. Moderate eye irritation. Avoid contact

with skin, eyes and clothing.

Toxic to birds, fish and aquatic invertebrates.

Physical State granular

Appearance light yellow

Routes of Exposure Inhalation, Eye contact, Skin contact, Ingestion

Immediate Effects

Eye Moderate eye irritation. Avoid contact with eyes.

Skin Slight irritation. Avoid contact with skin and clothing.

Ingestion May be harmful if swallowed. Do not take internally.

Inhalation Avoid breathing dust.



Material Safety Data Sheet MAXFORCE® FC FIRE ANT BAIT

MSDS Number: 102000014471 MSDS Version 1.1

Chronic or Delayed Long-Term

This product or its components may have target organ effects. This product or its

components may have long term (chronic) health effects.

SECTION 4. FIRST AID MEASURES

General When possible, have the product container or label with you when calling a

poison control center or doctor or going for treatment.

Eye Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing

eye. Call a physician or poison control center immediately.

Skin Take off contaminated clothing and shoes immediately. Wash off immediately

with plenty of water for at least 15 minutes. Call a physician or poison control

center immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth and give

water in small sips to drink. DO NOT induce vomiting unless directed to do so by

a physician or poison control center. Never give anything by mouth to an

unconscious person. Do not leave victim unattended.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a physician or

poison control center immediately.

Notes to Physician

Signs and Symptoms of Overexposure

Symptoms lethargy

tremors convulsions

Treatment There is no specific antidote. Appropriate supportive and symptomatic treatment

as indicated by the patient's condition is recommended.

SECTION 5. FIRE FIGHTING MEASURES

Fire and Explosion

Hazards

Accumulation of fine dust may entail the risk of a dust explosion in the presence

of air.

Suitable Extinguishing

Media

water fog, foam, carbon dioxide (CO2), dry chemical



Material Safety Data Sheet MAXFORCE® FC FIRE ANT BAIT

MSDS Number: 102000014471 MSDS Version 1.1

Fire Fighting Instructions

Fight fire from upwind position. Keep out of smoke. Cool containers / tanks with water spray. Dike area to prevent runoff and contamination of water sources. Do not allow run-off from fire fighting to enter drains or water courses.

Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Isolate hazard area. Keep unauthorized people away. Avoid contact with spilled

product or contaminated surfaces.

Methods for Cleaning Up Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable

container for disposal. Clean contaminated floors and objects thoroughly,

observing environmental regulations.

Additional Advice Use personal protective equipment. Do not allow product to enter streams,

sewers or other waterways.

SECTION 7. HANDLING AND STORAGE

Handling Procedures Handle and open container in a manner as to prevent spillage.

Storing Procedures Store in original container and out of the reach of children, preferably in a locked

storage area.

Work/Hygienic Procedures

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.

Take off contaminated clothing and shoes immediately. Then wash thoroughly

and put on clean clothing.

Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. As soon as

practical, wash thoroughly and change into clean clothing.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General Protection Follow manufacturer's instructions for cleaning/maintaining PPE. If no such

instructions for washables, use detergent and warm/tepid water. Keep and wash

PPE separately from other laundry.

Train employees in safe use of the product. Follow all label instructions.



Material Safety Data Sheet

MSDS Number: 102000014471

MSDS Version 1.1

Engineering Controls Ensure adequate ventilation.

Eye/Face Protection tightly fitting safety goggles

Hand Protection Chemical resistant nitrile rubber gloves

Body Protection Wear long-sleeved shirt and long pants and shoes plus socks.

Respiratory Protection When respirators are required, select NIOSH approved equipment based on

actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance light yellow

Physical State granular

Bulk Density 12 -19 lb./cu.ft.

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability Stable under normal conditions.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity data have been bridged from similar granular formulations containing a slightly higher percentage of the active ingredient, fipronil. The non-acute information pertains to technical-grade active ingredient.

Acute Oral Toxicity rat: LD50: > 5,000 mg/kg

Acute Dermal Toxicity female rabbit: LD50: > 2,000 mg/kg

Acute Inhalation Toxicity rat: LC50: > 5.2 mg/l

Exposure time: 4 h

Determined in the form of dust.

rat: LC50: > 20 mg/l Exposure time: 1 h

Determined in the form of dust. Extrapolated from the 4 hr LC50.

Skin Irritation rabbit: Slight irritation.

Eye Irritation rabbit: Moderate eye irritation.



Material Safety Data Sheet MAXFORCE® FC FIRE ANT BAIT

MSDS Number: 102000014471 MSDS Version 1.1

Sensitization guinea pig: Non-sensitizing.

Chronic Toxicity Fipronil caused liver, kidney or thyroid effects and/or neurobehavioral effects

(e.g., tremors) in chronic toxicity studies in rats and dogs. Fipronil did not induce

any microscopic lesions in the neural tissues.

Assessment Carcinogenicity

Fipronil has been classified by EPA as a Category C carcinogen based on thyroid tumors in rats only. These tumors are produced by a mechanism which is not relevant to human cancer. Fipronil did not produce an increase in tumor incidence in mice.

ACGIH

None.

NTP

None.

IARC

None.

OSHA None.

Reproductive & Developmental Toxicity

REPRODUCTION: Fipronil was not considered a primary reproductive toxicant

in rats.

DEVELOPMENTAL TOXICITY: Fipronil was not a developmental toxicant in rats

and rabbits.

Neurotoxicity Fipronil caused transient neurobehavioral effects (e.g., tremors) in neurotoxicity

studies in rats. Delays in developmental landmarks were observed in rats at

maternally toxic doses.

Mutagenicity Fipronil was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

SECTION 12. ECOLOGICAL INFORMATION

Environmental Precautions

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Drift or run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Cover, incorporate or clean up granules that are spilled. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Apply this product as specified on the label.



Material Safety Data Sheet MAXFORCE® FC FIRE ANT BAIT

MSDS Number: 102000014471 MSDS Version 1.1

SECTION 13. DISPOSAL CONSIDERATIONS

General Disposal Guidance

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.

Container Disposal

Do not re-use empty containers. Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke.

SECTION 14. TRANSPORT INFORMATION

TRANSPORTATION CLASSIFICATION: Not regulated for Domestic Surface Shipment

FREIGHT CLASSIFICATION:

Insecticides or Fungicides, N.O.I.,; other than poison

SECTION 15. REGULATORY INFORMATION

EPA Registration No. 432-1433

US Federal Regulations

TSCA list

None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D) None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

None.

Canadian Regulations

Canadian Domestic Substance List

None.



Material Safety Data Sheet MAXFORCE® FC FIRE ANT BAIT

MSDS Number: 102000014471 MSDS Version 1.1

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None

Safe Drinking Water Act Maximum Contaminant Levels

None.

SECTION 16. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Reactivity - 0 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason to Revise: Updated bulk density in Section 9.

Revision Date: 12/15/2006

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.